Indexes to *Nuclear Safety*, Volume 31

Cumulative indexes of issues of *Nuclear Safety* through Volume 22 were published as separate documents and are available from the National Technical Information Service. Starting with Volume 23, author and KWIC indexes are published in the first issue of the following volume. Thus this issue contains these indexes for *Nuclear Safety*, Vol. 31. Both indexes use a seven-digit number to indicate the location of the indexed material. The seven-digit number is divided into four parts (00-0-0-000), which stand, respectively, for volume-number-section-page. The authors are indexed alphabetically. In the KWIC (Key Word in Context) index, the article titles are permuted around the various significant words contained therein. For example, the title "Design Basis for Nuclear Power Plant Protection Systems" is indexed under the words Design, Nuclear, Power, Plant, and Protection. The index words are arranged alphabetically in a column in the center of the page, with the titles permuted around them. A slash (/) indicates the end of a title. The two indexes follow.

KWIC Index

CONDITIONS ON THE RADIOLOGICAL CONSEQUENCES OF A NUCLEAR	ACCIDENT/ TECHNICAL NOTE - THE INFLUENCE OF SEAS	31-3-5-374
DEPOSITION IN ASSESSING THE CONSEQUENCES OF HYPOTHETICAL	ACCIDENTAL RELEASES OF RADIOACTIVE MATERIAL/ THE	31-4-5-514
PORT - THE ROLE OF NUCLEAR REACTOR CONTAINMENT IN SEVERE	ACCIDENTS/ TECHNICAL NOTE - THE OECD RE	31-1-4-55
CANDU SAFETY UNDER SEVERE	ACCIDENTS - AN OVERVIEW/	31-1-2-20
EL DAMAGE/ REACTIVITY	ACCIDENTS WITH THE POTENTIAL FOR CATASTROPHIC FU	31-3-2-311
SAFETY DESIGN FOR THE	ADVANCED LIQUID METAL COOLED REACTOR/	31-3-4-323
SAFETY DESIGN UPGRADE OF THE	ADVANCED TEST REACTOR/	31-3-4-336
SAFETY IMPLICATIONS OF DIESEL GENERATOR	AGING/	31-4-3-484
FEATURES THAT ARE NEEDED TO SUPPORT COMMON-CAUSE FAILURE	ANALYSIS AND PREVENTION - AN ANALYST'S PERSPECTI	31-2-1-159
UPPORT COMMON-CAUSE FAILURE ANALYSIS AND PREVENTION - AN	ANALYST'S PERSPECTIVE/ DATA BASE FEATURES THAT A	31-2-1-159
FUEL PERFORMANCE	ANNUAL REPORT FOR 1987/	31-1-7-80
UELED REACTORS/ SUMMARY OF THE	ANS WORKSHOP ON THE SAFETY OF URANIUM-ALUMINUM-F	31-1-1-10
SCRAM AND STARTUP TRIP REDUCTION EFFORTS AT	ARKANSAS NUCLEAR ONE UNIT 2/	31-2-7-239
RGINS/ ON THE METHODOLOGY FOR	ASSESSING STEAM GENERATOR TUBE RUPTURE SAFETY MA	31-2-2-187
LING ASPECTS OF ATMOSPHERIC DISPERSION AND DEPOSITION IN	ASSESSING THE CONSEQUENCES OF HYPOTHETICAL ACCID	31-4-5-514
NUCLEAR SAFETY	ASSESSMENT CRITERIA/	31-2-1-173
SUMMARY OF CANDU 6 PROBABILISTIC SAFETY	ASSESSMENT STUDY RESULTS/	31-2-2-202
IOACTIVE MATERIAL/ THE IMPORTANCE OF MODELING ASPECTS OF	ATMOSPHERIC DISPERSION AND DEPOSITION IN ASSESSI	31-4-5-514
ANALYSIS AND PREVENTION - AN ANALYST'S PERSPECTIVE/ DATA	BASE FEATURES THAT ARE NEEDED TO SUPPORT COMMON-	31-2-1-159
PECO COMPUTER REPLACEMENT LESSONS LEARNED AT PEACH	BOTTOM/	31-3-3-318
VESSELS/ LOW-TEMPERATURE	BRITTLE FRACTURE RISK REDUCTION FOR PWR REACTOR	31-1-2-36
W/	CANDU SAFETY UNDER SEVERE ACCIDENTS - AN OVERVIE	31-1-2-20
SULTS/ SUMMARY OF	CANDU 6 PROBABILISTIC SAFETY ASSESSMENT STUDY RE	31-2-2-202
REACTIVITY ACCIDENTS WITH THE POTENTIAL FOR	CATASTROPHIC FUEL DAMAGE/	31-3-2-311
THE	CHERNOBYL SOURCE TERM - A CRITICAL REVIEW/	31-3-5-353
AND CONTAINMENT TRANSPORT PREDICTIONS/	COLLOIDAL CONSIDERATIONS IN GROUNDWATER SAMPLING	31-1-5-58
RSPECTIVE/ DATA BASE FEATURES THAT ARE NEEDED TO SUPPORT	COMMON-CAUSE FAILURE ANALYSIS AND PREVENTION - A	31-2-1-159
TTOM/ PECO	COMPUTER REPLACEMENT LESSONS LEARNED AT PEACH BO	31-3-3-318
ER PLANT OPERATION AND SAFETY/ A	COMPUTERIZED CONTROL ROOM TO IMPROVE NUCLEAR POW	31-4-4-504
CAL NOTE - THE OECD REPORT - THE ROLE OF NUCLEAR REACTOR	CONTAINMENT IN SEVERE ACCIDENTS/ TECHNI	31-1-4-55
COLLOIDAL CONSIDERATIONS IN GROUNDWATER SAMPLING AND	CONTAINMENT TRANSPORT PREDICTIONS/	31-1-5-58
ATION AND SAFETY/ A COMPUTERIZED	CONTROL ROOM TO IMPROVE NUCLEAR POWER PLANT OPER	31-4-4-504
SAFETY DESIGN FOR THE ADVANCED LIQUID METAL	COOLED REACTOR/	31-3-4-323
NUCLEAR SAFETY ASSESSMENT	CRITERIA/	31-2-1-173
THE CHERNOBYL SOURCE TERM - A	CRITICAL REVIEW/	31-3-5-353
IVITY ACCIDENTS WITH THE POTENTIAL FOR CATASTROPHIC FUEL	DAMAGE/ REACT	31-3-2-311
O THE EDITOR - GOOD RELATIONSHIPS ARE PIVOTAL IN NUCLEAR	DATABASES/ LETTER T	31-4-1-458
N REACTORS/ TECHNICAL NOTE -	DECOMMISSIONING OF THE HANFORD SURPLUS PRODUCTIO	31-1-6-66
DETECTING AND MITIGATING INVERTER	DEGRADATION/	31-4-7-529
RTANCE OF MODELING ASPECTS OF ATMOSPHERIC DISPERSION AND	DEPOSITION IN ASSESSING THE CONSEQUENCES OF HYPO	31-4-5-514
TOR/ SAFETY	DESIGN FOR THE ADVANCED LIQUID METAL COOLED REAC	31-3-4-323
CTOR FOR SAFETY ENHANCEMENT/	DESIGN IMPROVEMENTS TO THE HIGH FLUX ISOTOPE REA	31-4-4-490
SAFETY	DESIGN UPGRADE OF THE ADVANCED TEST REACTOR/	31-3-4-336
	DETECTING AND MITIGATING INVERTER DEGRADATION/	31-4-7-529
SAFETY IMPLICATIONS OF	DIESEL GENERATOR AGING/	31-4-3-484
ERIAL/ THE IMPORTANCE OF MODELING ASPECTS OF ATMOSPHERIC	DISPERSION AND DEPOSITION IN ASSESSING THE CONSE	31-4-5-514
AR DATABASES/ LETTER TO THE	EDITOR - GOOD RELATIONSHIPS ARE PIVOTAL IN NUCLE	31-4-1-458
SCRAM AND STARTUP TRIP REDUCTION	EFFORTS AT ARKANSAS NUCLEAR ONE UNIT 2/	31-2-7-239
IMPROVEMENTS TO THE HIGH FLUX ISOTOPE REACTOR FOR SAFETY	ENHANCEMENT/ DESIGN	31-4-4-490
TA BASE FEATURES THAT ARE NEEDED TO SUPPORT COMMON-CAUSE	FAILURE ANALYSIS AND PREVENTION - AN ANALYST'S P	31-2-1-159
DESIGN IMPROVEMENTS TO THE HIGH	FLUX ISOTOPE REACTOR FOR SAFETY ENHANCEMENT/	31-4-4-490
LOW-TEMPERATURE BRITTLE	FRACTURE RISK REDUCTION FOR PWR REACTOR VESSELS/	31-1-2-36
REACTIVITY ACCIDENTS WITH THE POTENTIAL FOR CATASTROPHIC	FUEL DAMAGE/	31-3-2-311
	FUEL PERFORMANCE ANNUAL REPORT FOR 1987/	31-1-7-80
SAFETY ASPECTS OF THE MODULAR HIGH-TEMPERATURE	GAS-COOLED REACTOR/	31-2-4-215
SAFETY IMPLICATIONS OF DIESEL	GENERATOR AGING/	31-4-3-484
ON THE METHODOLOGY FOR ASSESSING STEAM	GENERATOR TUBE RUPTURE SAFETY MARGINS/	31-2-2-187

SES/ LETTER TO THE EDITOR -	GOOD RELATIONSHIPS ARE PIVOTAL IN NUCLEAR DATABA	31-4-1-458
REDICTIONS/ COLLOIDAL CONSIDERATIONS IN	GROUNDWATER SAMPLING AND CONTAINMENT TRANSPORT P	31-1-5-58
DEVELOPMENT OF A 10CFR50.59	GUIDELINE - AN INDUSTRY INITIATIVE/	31-4-2-477
TECHNICAL NOTE - DECOMMISSIONING OF THE	HANFORD SURPLUS PRODUCTION REACTORS/	31-1-6-66
PRESSURIZED	HEAVY-WATER REACTOR AND PUBLIC SAFETY/	31-1-4-48
/ DESIGN IMPROVEMENTS TO THE	HIGH FLUX ISOTOPE REACTOR FOR SAFETY ENHANCEMENT	31-4-4-490
SAFETY ASPECTS OF THE MODULAR	HIGH-TEMPERATURE GAS-COOLED REACTOR/	31-2-4-215
SPERSION AND DEPOSITION IN ASSESSING THE CONSEQUENCES OF	HYPOTHETICAL ACCIDENTAL RELEASES OF RADIOACTIVE	31-4-5-514
SAFETY	IMPLICATIONS OF DIESEL GENERATOR AGING/	31-4-3-484
/ A COMPUTERIZED CONTROL ROOM TO	IMPROVE NUCLEAR POWER PLANT OPERATION AND SAFETY	31-4-4-504
DEVELOPMENT OF A 10CFR50.59 GUIDELINE - AN	INDUSTRY INITIATIVE/	31-4-2-477
SEVENTEENTH WATER REACTOR SAFETY	INFORMATION MEETING/	31-3-1-293
DEVELOPMENT OF A 10CFR50.59 GUIDELINE - AN INDUSTRY	INITIATIVE/	31-4-2-477
THE SAFETY BASIS OF THE	INTEGRAL FAST REACTOR PROGRAM/	31-4-1-443
DETECTING AND MITIGATING	INVERTER DEGRADATION/	31-4-7-529
DESIGN IMPROVEMENTS TO THE HIGH FLUX	ISOTOPE REACTOR FOR SAFETY ENHANCEMENT/	31-4-4-490
PECO COMPUTER REPLACEMENT LESSONS	LEARNED AT PEACH BOTTOM/	31-3-3-318
PECO COMPUTER REPLACEMENT	LESSONS LEARNED AT PEACH BOTTOM/	31-3-3-318
VOTAL IN NUCLEAR DATABASES/	LETTER TO THE EDITOR - GOOD RELATIONSHIPS ARE PI	31-4-1-458
SAFETY DESIGN FOR THE ADVANCED	LIQUID METAL COOLED REACTOR/	31-3-4-323
FOR PWR REACTOR VESSELS/	LOW-TEMPERATURE BRITTLE FRACTURE RISK REDUCTION	31-1-2-36
DOLOGY FOR ASSESSING STEAM GENERATOR TUBE RUPTURE SAFETY	MARGINS/ ON THE METHO	31-2-2-187
SEVENTEENTH WATER REACTOR SAFETY INFORMATION	MEETING/	31-3-1-293
SAFETY DESIGN FOR THE ADVANCED LIQUID	METAL COOLED REACTOR/	31-3-4-323
UPTURE SAFETY MARGINS/ ON THE	METHODOLOGY FOR ASSESSING STEAM GENERATOR TUBE R	31-2-2-187
DETECTING AND	MITIGATING INVERTER DEGRADATION/	31-4-7-529
NTAL RELEASES OF RADIOACTIVE MATERIAL/ THE IMPORTANCE OF	MODELING ASPECTS OF ATMOSPHERIC DISPERSION AND D	31-4-5-514
SAFETY ASPECTS OF THE	MODULAR HIGH-TEMPERATURE GAS-COOLED REACTOR/	31-2-4-215
- AN ANALYST'S PERSPECTIVE/ DATA BASE FEATURES THAT ARE	NEEDED TO SUPPORT COMMON-CAUSE FAILURE ANALYSIS	31-2-1-159
EASONAL CONDITIONS ON THE RADIOLOGICAL CONSEQUENCES OF A	NUCLEAR ACCIDENT/ TECHNICAL NOTE - THE INFLUENCE	31-3-5-374
LETTER TO THE EDITOR - GOOD RELATIONSHIPS ARE PIVOTAL IN	NUCLEAR DATABASES/	31-4-1-458
SCRAM AND STARTUP TRIP REDUCTION EFFORTS AT ARKANSAS	NUCLEAR ONE UNIT 2/	31-2-7-239
A COMPUTERIZED CONTROL ROOM TO IMPROVE	NUCLEAR POWER PLANT OPERATION AND SAFETY/	31-4-4-504
TECHNICAL NOTE - THE OECD REPORT - THE ROLE OF	NUCLEAR REACTOR CONTAINMENT IN SEVERE ACCIDENTS/	31-1-4-55
DEVELOPMENTS IN	NUCLEAR SAFETY/	31-1-1-1
SPACE REACTOR POWER SYSTEM	NUCLEAR SAFETY/	31-4-2-460
	NUCLEAR SAFETY ASSESSMENT CRITERIA/	31-2-1-173
NMENT IN SEVERE ACCIDENTS/ TECHNICAL NOTE - THE	OECD REPORT - THE ROLE OF NUCLEAR REACTOR CONTAI	31-1-4-55
CANDU SAFETY UNDER SEVERE ACCIDENTS - AN	OVERVIEW/	31-1-2-20
PECO COMPUTER REPLACEMENT LESSONS LEARNED AT	PEACH BOTTOM/	31-3-3-318
CH BOTTOM/	PECO COMPUTER REPLACEMENT LESSONS LEARNED AT PEA	31-3-3-318
MON-CAUSE FAILURE ANALYSIS AND PREVENTION - AN ANALYST'S	PERSPECTIVE/ DATA BASE FEATURES THAT ARE NEEDED	31-2-1-159
LETTER TO THE EDITOR - GOOD RELATIONSHIPS ARE	PIVOTAL IN NUCLEAR DATABASES/	31-4-1-458
REACTIVITY ACCIDENTS WITH THE	POTENTIAL FOR CATASTROPHIC FUEL DAMAGE/	31-3-2-311
A COMPUTERIZED CONTROL ROOM TO IMPROVE NUCLEAR	POWER PLANT OPERATION AND SAFETY/	31-4-4-504
SPACE REACTOR	POWER SYSTEM NUCLEAR SAFETY/	31-4-2-460
ATIONS IN GROUNDWATER SAMPLING AND CONTAINMENT TRANSPORT	PREDICTIONS/ COLLOIDAL CONSIDER	31-1-5-58
Y/	PRESSURIZED HEAVY-WATER REACTOR AND PUBLIC SAFET	31-1-4-48
ARE NEEDED TO SUPPORT COMMON-CAUSE FAILURE ANALYSIS AND	PREVENTION - AN ANALYST'S PERSPECTIVE/ DATA BASE	31-2-1-159
SUMMARY OF CANDU 6	PROBABILISTIC SAFETY ASSESSMENT STUDY RESULTS/	31-2-2-202
PRESSURIZED HEAVY-WATER REACTOR AND	PUBLIC SAFETY/	31-1-4-48
LOW-TEMPERATURE BRITTLE FRACTURE RISK REDUCTION FOR	PWR REACTOR VESSELS/	31-1-2-36
THE CONSEQUENCES OF HYPOTHETICAL ACCIDENTAL RELEASES OF	RADIOACTIVE MATERIAL/ THE IMPORTANCE OF MODELING	31-4-5-514
NICAL NOTE - THE INFLUENCE OF SEASONAL CONDITIONS ON THE	RADIOLOGICAL CONSEQUENCES OF A NUCLEAR ACCIDENT/	31-3-5-374
STROPHIC FUEL DAMAGE/	REACTIVITY ACCIDENTS WITH THE POTENTIAL FOR CATA	31-3-2-311
SAFETY DESIGN FOR THE ADVANCED LIQUID METAL COOLED	REACTOR/	31-3-4-323
SAFETY DESIGN UPGRADE OF THE ADVANCED TEST	REACTOR/	31-3-4-336
AFETY ASPECTS OF THE MODULAR HIGH-TEMPERATURE GAS-COOLED	REACTOR/ S	31-2-4-215
PRESSURIZED HEAVY-WATER	REACTOR AND PUBLIC SAFETY/	31-1-4-48
TECHNICAL NOTE - THE OECD REPORT - THE ROLE OF NUCLEAR	REACTOR CONTAINMENT IN SEVERE ACCIDENTS/	31-1-4-55
DESIGN IMPROVEMENTS TO THE HIGH FLUX ISOTOPE	REACTOR FOR SAFETY ENHANCEMENT/	31-4-4-490
SPACE	REACTOR POWER SYSTEM NUCLEAR SAFETY/	31-4-2-460
THE SAFETY BASIS OF THE INTEGRAL FAST	REACTOR PROGRAM/	31-4-1-443
SEVENTEENTH WATER	REACTOR SAFETY INFORMATION MEETING/	31-3-1-293
LOW-TEMPERATURE BRITTLE FRACTURE RISK REDUCTION FOR PWR	REACTOR VESSELS/	31-1-2-36
NOTE - DECOMMISSIONING OF THE HANFORD SURPLUS PRODUCTION	REACTORS/ TECHNICAL	31-1-6-66
HE ANS WORKSHOP ON THE SAFETY OF URANIUM-ALUMINUM-FUELED	REACTORS/ SUMMARY OF T	31-1-1-10
/ SCRAM AND STARTUP TRIP	REDUCTION EFFORTS AT ARKANSAS NUCLEAR ONE UNIT 2	31-2-7-239
LOW-TEMPERATURE BRITTLE FRACTURE RISK	REDUCTION FOR PWR REACTOR VESSELS/	31-1-2-36
LETTER TO THE EDITOR - GOOD	RELATIONSHIPS ARE PIVOTAL IN NUCLEAR DATABASES/	31-4-1-458
IN ASSESSING THE CONSEQUENCES OF HYPOTHETICAL ACCIDENTAL	RELEASES OF RADIOACTIVE MATERIAL/ THE IMPORTANCE	31-4-5-514
PECO COMPUTER	REPLACEMENT LESSONS LEARNED AT PEACH BOTTOM/	31-3-3-318
THE CHERNOBYL SOURCE TERM - A CRITICAL	REVIEW/	31-3-5-353
LOW-TEMPERATURE BRITTLE FRACTURE	RISK REDUCTION FOR PWR REACTOR VESSELS/	31-1-2-36
D SAFETY/ A COMPUTERIZED CONTROL	ROOM TO IMPROVE NUCLEAR POWER PLANT OPERATION AN	31-4-4-504
ON THE METHODOLOGY FOR ASSESSING STEAM GENERATOR TUBE	RUPTURE SAFETY MARGINS/	31-2-2-187
DEVELOPMENTS IN NUCLEAR	SAFETY/	31-1-1-1
PRESSURIZED HEAVY-WATER REACTOR AND PUBLIC	SAFETY/	31-1-4-48
SPACE REACTOR POWER SYSTEM NUCLEAR	SAFETY/	31-4-2-460
ONTROL ROOM TO IMPROVE NUCLEAR POWER PLANT OPERATION AND	SAFETY/ A COMPUTERIZED C	31-4-4-504
AS-COOLED REACTOR/	SAFETY ASPECTS OF THE MODULAR HIGH-TEMPERATURE G	31-2-4-215
NUCLEAR	SAFETY ASSESSMENT CRITERIA/	31-2-1-173
SUMMARY OF CANDU 6 PROBABILISTIC	SAFETY ASSESSMENT STUDY RESULTS/	31-2-2-202
M/ THE	SAFETY BASIS OF THE INTEGRAL FAST REACTOR PROGRA	31-4-1-443
ED REACTOR/	SAFETY DESIGN FOR THE ADVANCED LIQUID METAL COOL	31-3-4-323
OR/	SAFETY DESIGN UPGRADE OF THE ADVANCED TEST REACT	31-3-4-336
DESIGN IMPROVEMENTS TO THE HIGH FLUX ISOTOPE REACTOR FOR	SAFETY ENHANCEMENT/	31-4-4-490
	SAFETY IMPLICATIONS OF DIESEL GENERATOR AGING/	31-4-3-484
SEVENTEENTH WATER REACTOR	SAFETY INFORMATION MEETING/	31-3-1-293
E METHODOLOGY FOR ASSESSING STEAM GENERATOR TUBE RUPTURE	SAFETY MARGINS/ ON TH	31-2-2-187
SUMMARY OF THE ANS WORKSHOP ON THE	SAFETY OF URANIUM-ALUMINUM-FUELED REACTORS/	31-1-1-10
CANDU	SAFETY UNDER SEVERE ACCIDENTS - AN OVERVIEW/	31-1-2-20
COLLOIDAL CONSIDERATIONS IN GROUNDWATER	SAMPLING AND CONTAINMENT TRANSPORT PREDICTIONS/	31-1-5-58
NSAS NUCLEAR ONE UNIT 2/	SCRAM AND STARTUP TRIP REDUCTION EFFORTS AT ARKA	31-2-7-239
OF A NUCLEAR ACCIDENT/ TECHNICAL NOTE - THE INFLUENCE OF	SEASONAL CONDITIONS ON THE RADIOLOGICAL CONSEQUE	31-3-5-374
TING/	SEVENTEENTH WATER REACTOR SAFETY INFORMATION MEE	31-3-1-293

OECD REPORT - THE ROLE OF NUCLEAR REACTOR CONTAINMENT IN	SEVERE ACCIDENTS/ TECHNICAL NOTE - THE	31-1-4-55
CANDU SAFETY UNDER	SEVERE ACCIDENTS - AN OVERVIEW/	31-1-2-20
THE CHERNOBYL	SOURCE TERM - A CRITICAL REVIEW/	31-3-5-353
	SPACE REACTOR POWER SYSTEM NUCLEAR SAFETY/	31-4-2-460
AR ONE UNIT 2/ SCRAM AND	STARTUP TRIP REDUCTION EFFORTS AT ARKANSAS NUCLE	31-2-7-239
ON THE METHODOLOGY FOR ASSESSING	STEAM GENERATOR TUBE RUPTURE SAFETY MARGINS/	31-2-2-187
NT STUDY RESULTS/	SUMMARY OF CANDU 6 PROBABILISTIC SAFETY ASSESSME	31-2-2-202
NIUM-ALUMINUM-FUELED REACTORS/	SUMMARY OF THE ANS WORKSHOP ON THE SAFETY OF URA	31-1-1-10
YST'S PERSPECTIVE/ DATA BASE FEATURES THAT ARE NEEDED TO	SUPPORT COMMON-CAUSE FAILURE ANALYSIS AND PREVEN	31-2-1-159
TECHNICAL NOTE - DECOMMISSIONING OF THE HANFORD	SURPLUS PRODUCTION REACTORS/	31-1-6-66
SURPLUS PRODUCTION REACTORS/	TECHNICAL NOTE - DECOMMISSIONING OF THE HANFORD	31-1-6-66
ON THE RADIOLOGICAL CONSEQUENCES OF A NUCLEAR ACCIDENT/	TECHNICAL NOTE - THE INFLUENCE OF SEASONAL CONDI	31-3-5-374
UCLEAR REACTOR CONTAINMENT IN SEVERE ACCIDENTS/	TECHNICAL NOTE - THE OECD REPORT - THE ROLE OF N	31-1-4-55
THE CHERNOBYL SOURCE	TERM - A CRITICAL REVIEW/	31-3-5-353
L CONSIDERATIONS IN GROUNDWATER SAMPLING AND CONTAINMENT	TRANSPORT PREDICTIONS/ COLLOIDA	31-1-5-58
NIT 2/ SCRAM AND STARTUP	TRIP REDUCTION EFFORTS AT ARKANSAS NUCLEAR ONE U	31-2-7-239
ON THE METHODOLOGY FOR ASSESSING STEAM GENERATOR	TUBE RUPTURE SAFETY MARGINS/	31-2-2-187
D STARTUP TRIP REDUCTION EFFORTS AT ARKANSAS NUCLEAR ONE	UNIT 2/ SCRAM AN	31-2-7-239
SAFETY DESIGN	UPGRADE OF THE ADVANCED TEST REACTOR/	31-3-4-336
SUMMARY OF THE ANS WORKSHOP ON THE SAFETY OF	URANIUM-ALUMINUM-FUELED REACTORS/	31-1-1-10
PERATURE BRITTLE FRACTURE RISK REDUCTION FOR PWR REACTOR	VESSELS/ LOW-TEM	31-1-2-36
SEVENTEENTH	WATER REACTOR SAFETY INFORMATION MEETING/	31-3-1-293
D REACTORS/ SUMMARY OF THE ANS	WORKSHOP ON THE SAFETY OF URANIUM-ALUMINUM-FUELE	31-1-1-10
DEVELOPMENT OF A	10CFR50.59 GUIDELINE - AN INDUSTRY INITIATIVE/	31-4-2-477
FUEL PERFORMANCE ANNUAL REPORT FOR	1987/	31-1-7-80
RTUP TRIP REDUCTION EFFORTS AT ARKANSAS NUCLEAR ONE UNIT	2/ SCRAM AND STA	31-2-7-239
SUMMARY OF CANDU	6 PROBABILISTIC SAFETY ASSESSMENT STUDY RESULTS/	31-2-2-202

END KWIC-INDEX

Author List

ALIKHAN, S.	31-1-2-20
ALLEN, P. J.	31-2-2-202
ATKINSON, S. A.	31-1-1-10
ATKINSON, S. A.	31-3-4-336
BABAR, A. K.	31-1-4-48
BAILEY, W. J.	31-1-7-80
BELTRANDA, G.	31-4-4-504
BONACA, M. V.	31-4-2-477
BROWN, N. W.	31-4-2-460
BUCKNER, M. R.	31-1-1-10
BUESCHER, B. J.	31-3-4-336
CHEVERTON, R. D.	31-4-4-490
CLARK, J. M.	31-3-3-318
COLBURN, A. J.	31-1-2-36
COOK, D. H.	31-4-4-490
CROUCHER, D. W.	31-1-1-10
CROUCHER, D. W.	31-3-4-336
DAMON, D. R.	31-4-2-460
DIAMOND, D. J.	31-3-2-311
ESCHBACH, E. J.	31-1-2-36
FITZPATRICK, R.	31-3-2-311
FRESCURA, G. M.	31-1-2-20
GORE, B. F.	31-1-2-36
GUNTHER, W. E.	31-4-7-529
GYOREY, G. L.	31-3-4-323
HARDY, R. W.	31-3-4-323
HARRIS, M. S.	31-1-2-36
HEGER, A. S.	31-4-1-458
HIGSON, D. J.	31-2-1-173
HOOPINGARNER, K. R.	31-4-3-484
HOWIESON, J. Q.	31-1-2-20
HOWIESON, J. Q.	31-2-2-202
HSU, C. J.	31-3-2-311
JONES, J. A.	31-4-5-514
KAKODKAR, A.	31-1-4-48
KALRA, S. P.	31-2-2-187
KHAN, S. A.	31-3-5-353
KING, F. K.	31-1-2-20
KOEN, B. V.	31-4-1-458
KOL, S.	31-2-7-239
LONG, L. B.	31-4-2-477
MAGEE, P. M.	31-3-4-323
MILLUNZI, A. C.	31-2-4-215
MIRKOVIC, D.	31-3-2-311
MOORE, E.	31-1-6-66
MORIN, J. P.	31-1-1-10
MOSTERT, P.	31-2-2-202
MURLEY, T. E.	31-1-1-1
O'HARA, J. A.	31-3-3-318
PAULA, H. M.	31-2-1-159
PEDERSEN, D. R.	31-4-1-443
PULS, R. W.	31-1-5-58
REULAND, W. B.	31-4-2-477
REYNES, L.	31-4-4-504
ROGERS, J. T.	31-1-2-20
ROGERS, J. T.	31-2-2-202
SEIDEL, B. R.	31-4-1-443
SHAPIRO, H. S.	31-2-2-202
SHARP, D. A.	31-1-1-10
SILADY, F. A.	31-2-4-215
SILVER, E. G.	31-3-1-293
SMITH, M. A.	31-4-2-460
SNELL, V. G.	31-1-2-20
SPENCER, J. D.	31-1-1-10
TAMM, H.	31-1-2-20
TAYLOR, C. W.	31-2-7-239
TEAGUE, H. J.	31-1-4-55
TEMME, M. I.	31-4-2-460
THROM, E. D.	31-1-2-36
VAN OTTERLOO, R. W.	31-2-2-202
VENHUIZEN, J. R.	31-3-4-336
VO, T. V.	31-1-2-36
WITHERSPOON, JR., J. P.	31-3-5-374
YOUNG, G. G.	31-2-7-239
ZALOUDEK, F. R.	31-4-3-484

DISCLAIMER

This journal was prepared under the sponsorship of the U. S. Department of Energy and the U. S. Nuclear Regulatory Commission. Views expressed in it are not necessarily those of either organization or their contractors. Neither the United States Government nor either organization, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

☆ U.S. GOVERNMENT PRINTING OFFICE: 1991—548-128